

December 20, 2011

To whom it may concern:

Rogers Corporation, with aid of experts in the field, has given careful consideration to how EU regulation REACH (Registration, Evaluation, Authorisation and Restriction of Chemicals) has an impact on our product line of Power Distribution Systems. The conclusion is that our **RO-LINX®** Busbars, manufactured in Europe, in America and in China, are defined as articles in this legislation.

Further, none of our typical^(*) busbars contain any of the following Substances of Very High Concern (SVHC), as updated on the ECHA website on December 19, 2011:

Name	EC Number	CAS Number	Date of inclusion
1,2,3-Trichloropropane	202-486-1	96-18-4	June 20, 2011
1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich	276-158-1	71888-89-6	June 20, 2011
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters	271-084-6	68515-42-4	June 20, 2011
1,2-dichloroethane	203-458-1	107-06-2	December 19, 2011
1-Methyl-2-pyrrolidone	212-828-1	872-50-4	June 20, 2011
2,2'-dichloro-4,4'-methylenedianiline	202-918-9	101-14-4	December 19, 2011
2,4-Dinitrotoluene	204-450-0	121-14-2	January 13, 2010
2-Ethoxyethanol	203-804-1	110-80-5	December 15, 2010
2-Ethoxyethyl acetate	203-839-2	111-15-9	June 20, 2011
2-Methoxyaniline; o-Anisidine	201-963-1	90-04-0	December 19, 2011
2-Methoxyethanol	203-713-7	109-86-4	December 15, 2010
4-(1,1,3,3-tetramethylbutyl)phenol	205-426-2	140-66-9	December 19, 2011
4,4'- Diaminodiphenylmethane (MDA)	202-974-4	101-77-9	October 28, 2008
5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	201-329-4	81-15-2	October 28, 2008
Acrylamide	201-173-7	79-06-1	March 30, 2010
Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)	287-476-5	85535-84-8	October 28, 2008
Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium and silicon are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm) c) alkaline oxide and alkali earth oxide (Na ₂ O+K ₂ O+CaO+MgO+BaO) content less or equal to 18% by weight	-	-	December 19, 2011
Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.2 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the two following conditions: a) Al ₂ O ₃ and SiO ₂ are present within the following concentration ranges: Al ₂ O ₃ : 43.5 – 47 % w/w, and SiO ₂ : 49.5 – 53.5 % w/w, or Al ₂ O ₃ : 45.5 – 50.5 % w/w, and SiO ₂ : 48.5 – 54 % w/w, b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm).	-	Extracted from Index no.: 650-017-00-8	January 13, 2010
Ammonium dichromate	232-143-1	7789-09-5	June 18, 2010
Anthracene	204-371-1	120-12-7	October 28, 2008
Anthracene oil	292-602-7	90640-80-5	January 13, 2010
Anthracene oil, anthracene paste	292-603-2	90640-81-6	January 13, 2010
Anthracene oil, anthracene paste, anthracene fraction	295-275-9	91995-15-2	January 13, 2010
Anthracene oil, anthracene paste, distn. lights	295-278-5	91995-17-4	January 13, 2010
Anthracene oil, anthracene-low	292-604-8	90640-82-7	January 13, 2010
Arsenic acid	231-901-9	7778-39-4	December 19, 2011
Benzyl butyl phthalate (BBP)	201-622-7	85-68-7	October 28, 2008
Bis (2-ethylhexyl)phthalate (DEHP)	204-211-0	117-81-7	October 28, 2008

Name	EC Number	CAS Number	Date of inclusion
Bis(2-methoxyethyl) ether	203-924-4	111-96-6	December 19, 2011
Bis(2-methoxyethyl) phthalate	204-212-6	117-82-8	December 19, 2011
Bis(tributyltin)oxide (TBTO)	200-268-0	56-35-9	October 28, 2008
Boric acid	233-139-2 / 234-343-4	10043-35-3 / 11113-50-1	June 18, 2010
Calcium arsenate	231-904-5	7778-44-1	December 19, 2011
Chromic acid, Oligomers of chromic acid and dichromic acid, Dichromic acid	231-801-5 - 236-881-5	7738-94-5 - 13530-68-2	December 15, 2010
Chromium trioxide	215-607-8	1333-82-0	December 15, 2010
Cobalt dichloride	231-589-4	7646-79-9	June 20, 2011 October 28, 2008
Cobalt(II) carbonate	208-169-4	513-79-1	December 15, 2010
Cobalt(II) diacetate	200-755-8	71-48-7	December 15, 2010
Cobalt(II) dinitrate	233-402-1	10141-05-6	December 15, 2010
Cobalt(II) sulphate	233-334-2	10124-43-3	December 15, 2010
Diarsenic pentaoxide	215-116-9	1303-28-2	October 28, 2008
Diarsenic trioxide	215-481-4	1327-53-3	October 28, 2008
Dibutyl phthalate (DBP)	201-557-4	84-74-2	October 28, 2008
Dichromium tris(chromate)	246-356-2	24613-89-6	December 19, 2011
Diisobutyl phthalate	201-553-2	84-69-5	January 13, 2010
Disodium tetraborate, anhydrous	215-540-4	1303-96-4/ 1330-43-4/ 12179-04-3	June 18, 2010
Formaldehyde, oligomeric reaction products with aniline	500-036-1	25214-70-4	December 19, 2011
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified: Alpha-hexabromocyclododecane Beta-hexabromocyclododecane Gamma-hexabromocyclododecane	247-148-4 and 221-695-9	25637-99-4 3194-55-6 (134237-50-6) (134237-51-7) (134237-52-8)	October 28, 2008
Hydrazine	206-114-9	302-01-2 / 7803-57-8	June 20, 2011
Lead chromate	231-846-0	7758-97-6	January 13, 2010
Lead chromate molybdate sulphate red (C.I. Pigment Red 104)	235-759-9	12656-85-8	January 13, 2010
Lead diazide, Lead azide	236-542-1	13424-46-9	December 19, 2011
Lead dipicrate	229-335-2	6477-64-1	December 19, 2011
Lead hydrogen arsenate	232-064-2	7784-40-9	October 28, 2008
Lead styphnate	239-290-0	15245-44-0	December 19, 2011
Lead sulfochromate yellow (C.I. Pigment Yellow 34)	215-693-7	1344-37-2	January 13, 2010
N,N-dimethylacetamide	204-826-4	127-19-5	December 19, 2011
Pentazinc chromate octahydroxide	256-418-0	49663-84-5	December 19, 2011
Phenolphthalein	201-004-7	77-09-8	December 19, 2011
Pitch, coal tar, high temp.	266-028-2	-	January 13, 2010
Potassium chromate	232-140-5	7789-00-6	June 18, 2010
Potassium dichromate	231-906-6	7778-50-9	June 18, 2010
Potassium hydroxyoctaoxodizincatedichromate	234-329-8	11103-86-9	December 19, 2011
Sodium chromate	231-889-5	7775-11-3	June 18, 2010
Sodium dichromate	234-190-3	7789-12-0/ 10588-01-9	October 28, 2008
Strontium chromate	232-142-6	2/06/7789	June 20, 2011
Tetraboron disodium heptaoxide, hydrate	235-541-3	12267-73-1	June 18, 2010
Trichloroethylene	201-167-4	79-01-6	June 18, 2010
Triethyl arsenate	427-700-2	15606-95-8	October 28, 2008
Trilead diarsenate	222-979-5	3687-31-8	December 19, 2011
Tris(2-chloroethyl)phosphate	204-118-5	115-96-8	January 13, 2010
Zirconia Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm) c) alkaline oxide and alkali earth oxide (Na ₂ O+K ₂ O+CaO+MgO+BaO) content less or equal to 18% by weight	-	-	December 19, 2011

Name	EC Number	CAS Number	Date of inclusion
Zirconia Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.2 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the two following conditions: a) Al ₂ O ₃ , SiO ₂ and ZrO ₂ are present within the following concentration ranges: Al ₂ O ₃ : 35 – 36 % w/w, and SiO ₂ : 47.5 – 50 % w/w, and ZrO ₂ : 15 - 17 % w/w, b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm).	-	Extracted from Index no. 650-017-00-8	January 13, 2010

If you need any further assistance concerning this, please do not hesitate to contact your assigned customer service person,

Sincerely,



Marc Beulque
General Manager
Rogers Corporation
Power Distribution Systems

(*): busbars with custom made connectors, cables and/or other components are considered non-typical.