



PRODUCT SAFETY INFORMATION SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

TRADE NAME: 2929 Bondply
HMIS RATING: H 1 F 1 R 0
USE OF ARTICLE: Adhesive sheets for bonding multi-layer printed wiring boards.
DATE ISSUED: 10/02/2013
COMPANY/UNDERTAKING IDENTIFICATION: Rogers Corporation
100 South Roosevelt Avenue
Chandler, AZ 85226-3415
Phone: 001-480-961-1382
Fax: 001-480-961-4533
Email: msdsinfo@rogerscorporation.com

2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE MATERIAL: NE
LABELING REQUIREMENTS: NE
EFFECTS OF OVEREXPOSURE:
INHALATION: NE
EYE CONTACT: Dust formed during mechanical usage may cause irritation.
SKIN CONTACT: Dust formed during industrial operations may irritate eyes. Film may have sharp edges, which may damage eyes. Follow proper PPE usage when handling.
INGESTION: Film has sharp edges, which may damage skin. May cause irritation and/or dermatitis. Follow proper PPE usage when handling.
CHRONIC: If ingested, seek medical attention. This material is poisonous to ingest. May cause irritation to mouth, throat and stomach. May cause gastrointestinal tract disorder and/or damage.
NE

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is produced as an "article" as defined in 20 CFR 1910.1200 and REGULATION (EC) N° 1907/2006 is therefore exempt from the Hazard Communication Standard and REACH. Since this material does not release and will not result in exposure to a hazardous chemical under normal conditions of use, no Safety Data Sheet is required.

<u>Chemical Name</u>	<u>CAS No.</u>	<u>EINECS /ELINCS</u>	<u>%</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>China OEL</u>	<u>EU Classification</u>
Proprietary Material	Trade Secret	NE	100	NE	NE	NE	NC according to 67/548/EC

4. FIRST-AID MEASURES

INHALATION:	Remove to fresh air. Obtain medical attention if symptoms persist.
EYE CONTACT:	Flush eyes with large amounts of water for 15 to 20 minutes. Obtain medical attention if symptoms persist.
SKIN CONTACT:	Immediately remove contaminated clothing and flush area with water for 15 to 20 minutes. Obtain medical attention if symptoms persist.
INGESTION:	Do not induce vomiting. Obtain medical attention immediately.

5. FIRE-FIGHTING MEASURES

FLASH POINT:	NA °C (°F)	Flammable Limits:	LEL	NA	UEL	NA
AUTOIGNITION TEMPERATURE:	NE °C (°F)					
EXTINGUISHING MEDIA:	<u>X</u> Water Spray	<u>X</u> Foam	<u>X</u> CO ₂			
	<u>X</u> Dry Chemical	Other –				
SPECIAL FIRE FIGHTING PROCEDURES:	Firefighters should be equipped with self-contained breathing apparatus and turnout gear.					
UNUSUAL FIRE AND EXPLOSION HAZARDS:	None known.					

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:	Wear suitable protective equipment. Do not breathe dust. Eliminate sources of ignition. Avoid contact with skin and eyes, which may cause lacerations.
ENVIRONMENTAL PRECAUTIONS:	Prevent from entering sewer system, surface water or soil.
CLEANING METHODS:	Absorb with vermiculite and place in closed containers for disposal. Ventilate area and wash spill site after material collection is complete.

7. HANDLING AND STORAGE

HANDLING:	Wear suitable protective equipment. Wash hands with soap and water after handling.
STORAGE:	Keep material in a temperature controlled room between 20-25° C. (68-77° F). The areas should be well ventilated and dry. The material will burn in a fire.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION:	None needed under normal conditions. If material is heated and odors are noticeable and/or irritating a respirator meeting NIOSH requirements should be used. A qualified individual should evaluate each situation.
<u>VENTILATION</u>	
LOCAL:	Recommended for all industrial operations.
GENERAL:	Recommended for all industrial operations.
<u>PERSONAL PROTECTION</u>	
HAND:	Cut resistant gloves.
EYE:	Safety glasses with side-shields are recommended in all industrial operations.
SKIN:	Proper clothing to minimize exposure lacerations. Gloves and clothing with long sleeves.
OTHER:	Safety shower/eyewash in the area.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Flexible film material on a roll.
ODOR:	Characteristic
PHYSICAL STATE:	Solid
BOILING POINT:	NA °C (°F)
MELTING POINT:	>85 °C (>185°F) (melting point of polyethylene substrate higher for polyester substrate).
FREEZING POINT:	NA °C (°F)
FLASH POINT:	NE °C (°F)
WATER SOLUBILITY:	Soluble
VAPOR DENSITY:	NA
VAPOR PRESSURE:	NA
SPECIFIC GRAVITY:	NE (Water = 1)
PARTITION COEFFICIENT:	NA
EVAPORATION RATE:	NA
RELATIVE DENSITY:	NA
VISCOSITY:	NA
AUTO-IGNITION TEMPERATURE:	NA °C (°F)
DECOMPOSITION TEMPERATURE:	NA °C (°F)
PH:	NA
FLAMMABILITY:	NA

10. STABILITY AND REACTIVITY

STABLE	<u>X</u>	UNSTABLE	_____
CONDITIONS TO AVOID:			NE
MATERIALS TO AVOID:			NE
HAZARDOUS POLYMERIZATION:		_____	May Occur
HAZARDOUS DECOMPOSITION PRODUCTS:		_____	<u>X</u> Does Not Occur

CO, CO₂, hydrocarbons, oxides of nitrogen can be generated during thermal decomposition and combustion. In addition, decomposition of substrate may generate hydrogen chloride and phosgene gas.

11. TOXICOLOGICAL INFORMATION

CARCINOGENIC STATUS: NA

12. ECOLOGICAL INFORMATION

ECOTOXICITY: NA

13. DISPOSAL CONSIDERATION

PHYSICAL/CHEMICAL PROPERTIES AFFECTING DISPOSAL: None

ENVIRONMENTAL TOXICITY DATA: NA

WASTE DISPOSAL METHOD: Dispose of in accordance with applicable federal, state, provincial, and local laws and regulations.

14. TRANSPORT INFORMATION

UN NUMBER: Not Regulated

UN PROPER SHIPPING NAME: Not Regulated

HAZARD CLASS (ES): Not Regulated

PACKING GROUP: Not Regulated

ENVIRONMENTAL HAZARDS: NE

15. REGULATORY INFORMATION

INTERNATIONAL REGULATIONS:

Canadian (DSL/NDSL):	NE
Australian (ACIS):	NE
Korea (KECI):	NE
Japan (ENCS, MITI):	NE
China (SEPA)	NE
EU Directive 2011/65/EC (RoHS):	Does not contain any intentionally added substances mentioned by the RoHS directive.
European: Symbol	Not classified according to directive 67/548/EEC & 2001/60/EC (dangerous substances).
R-Phase(s):	NA
S-Phase(s):	NA
TSCA (Toxic Substances Control Act):	All materials are listed or exempt from TSCA listing.
CERCLA (Comprehensive Emergency Response, Compensation, and Liability Act):	NE
SARA TITLE III (Superfund Amendments and Reauthorization Act):	NA
311/312 Hazard Categories:	None

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and 40 CFR 372:

CAS #
NA

CHEMICAL NAME
NA

PERCENT BY WEIGHT
NA

16. OTHER INFORMATION

NA = Not Applicable
NE = Not Established
NC = Not Classified
Date Prepared: 10/02/2013

FILE: 99294-2929 Bondply PSIS-10022013.doc
99294
PREPARED BY: Curtis Kempton
REVIEWED BY: Michal Werbecki
Frances Walsh

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULT TO BE OBTAINED FROM THE USE THEREOF.

ROGERS CORPORATION ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, USERS OR THIRD PARTIES CAUSED BY THE MATERIAL. SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.