



High Performance Foams

171 West St. Charles Road, Carol Stream, IL 60188-2081 / 630-784-6200 / Fax: 630-784-6201

MATERIAL SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME: BF-1000 Series

CHEMICAL FAMILY: Polydimethylsiloxane Polymer

HMIS RATING: H 1 F 1 R 0

USE OF MATERIAL: Gasketing

DATE ISSUED: 2/08/2010

EMERGENCY PHONE: 860-774-9605 (Monday – Friday 8 a.m. – 5 p.m. EST)

CHEMTREC: 800-424-9300 (U.S. & Canada) (24 Hours)
703-527-3887 (International – Call Collect) (24 Hours)

2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>CAS No.</u>	<u>EINECS /ELINCS</u>	<u>%</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>China OEL</u>	<u>EU Classification</u>
Polydimethylsiloxane Polymer	Proprietary	Proprietary	99	NE	NE	NE	Not classified under 67/548/EC
Carbon Black* (Black and gray colors only)	1333-86-4	215-609-9	< 1	3.5 mg/m ³	3.5 mg/m ³	NE	Not classified under 67/548/EC

The material contains no other hazardous ingredients as defined in OSHA's Hazard Communication Standard 29 CFR 1910.1200 or EU directive 1999/45/EC, and do not present a health or environmental hazard according to directive 67/548/EC.

3. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE MATERIAL: NE

LABELING REQUIREMENTS: NE

EFFECTS OF OVEREXPOSURE: None are expected with normal handling. Materials listed in Section 2 are encapsulated or compounded making release unlikely. Cutting and other finishing operations may create dust. Ventilation and personal protective equipment should be similar to operations generating nuisance dust.

INHALATION: Dusts may cause respiratory irritation.

EYE CONTACT: Dusts may cause irritation.

SKIN CONTACT: None known.

INGESTION: None known.

CHRONIC: The IARC has listed carbon black as a Class 2B possible human carcinogen based on animal studies.

4. FIRST-AID MEASURES

INHALATION:	Remove to fresh air. Obtain medical attention if symptoms persist.
EYE CONTACT:	Flush eyes with large amounts of water for 15 to 20 minutes. Obtain medical attention if symptoms persist.
SKIN CONTACT:	Immediately take off all contaminated clothing and flush area with soap and water for 15 to 20 minutes. Obtain medical attention if symptoms persist.
INGESTION:	Not a likely route of exposure. If large amounts of processing dusts are ingested resulting in gastrointestinal discomfort, seek medical attention.

5. FIRE-FIGHTING MEASURES

FLASH POINT:	NE °C (°F)	Flammable Limits:	LEL	NA	UEL	NA
AUTOIGNITION TEMPERATURE:	NE °C (°F)					
EXTINGUISHING MEDIA:	X Water Spray	X Foam	X	CO ₂		
	X Dry Chemical	X Other –				
SPECIAL FIRE FIGHTING PROCEDURES:	Firefighters should be equipped with self-contained breathing apparatus and turnout gear.					
UNUSUAL FIRE AND EXPLOSION HAZARDS:	Decomposition in a fire may produce toxic fumes and siliceous char. Carbon monoxide, carbon dioxide, fluorine compounds, formaldehyde, silicon dioxide, and traces of incompletely burned carbon compounds.					

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:	Wear suitable protective equipment. Wear self-contained breathing apparatus and heavy rubber gloves. Avoid contact with skin and eyes.
ENVIRONMENTAL PRECAUTIONS:	Prevent from entering sewer system, surface water or soil.
CLEANING METHODS:	Pick up larger solid materials. Use broom and dust pan to collect smaller pieces. Dispose of properly.

7. HANDLING AND STORAGE

HANDLING:	Wear suitable protective equipment (refer to Section 8). Wash hands with soap and water after handling.
STORAGE:	Keep container tightly closed in a cool, well-ventilated area.

8. ENGINEERING CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION:	None needed under normal conditions. If material is heated and odors are noticeable and/or irritating, a respirator meeting NIOSH requirements should be used. A qualified individual should evaluate each situation.
<u>VENTILATION</u>	
LOCAL:	Recommended in heating, finishing, hot wire, and laser cutting operations.
GENERAL:	Recommended as with all industrial operations.
<u>PERSONAL PROTECTION</u>	
HAND:	Heavy Rubber Gloves.
EYE:	Safety glasses with side shields.
SKIN:	None required.
OTHER:	Safety shower/eyewash in the area if possible tissue exposure to materials.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Cellular Silicone Material
ODOR:	Slight characteristic
PHYSICAL STATE:	Solid
BOILING POINT:	NA °C (°F)
MELTING POINT:	NE °C (°F)
FREEZING POINT:	NA °C (°F)
FLASH POINT:	NE °C (°F)
WATER SOLUBILITY:	None
VAPOR DENSITY:	NA
VAPOR PRESSURE:	NA
SPECIFIC GRAVITY:	0.2(Water = 1)
PARTITION COEFFICIENT:	NA
EVAPORATION RATE:	NA
RELATIVE DENSITY:	0.2 g/cc
VISCOSITY:	NA
AUTO-IGNITION TEMPERATURE:	NA °C (°F)
DECOMPOSITION TEMPERATURE:	NA °C (°F)
PH:	NA
FLAMMABILITY:	NA

10. STABILITY AND REACTIVITY

STABLE UNSTABLE

CONDITIONS TO AVOID:	NE
MATERIALS TO AVOID:	NE
HAZARDOUS POLYMERIZATION:	<input type="checkbox"/> May Occur <input checked="" type="checkbox"/> Does Not Occur
HAZARDOUS DECOMPOSITION PRODUCTS:	Decomposition in a fire may produce toxic fumes and siliceous char. Carbon monoxide, carbon dioxide, fluorine compounds, formaldehyde, silicon dioxide, and traces of incompletely burned carbon compounds.

11. TOXICOLOGICAL INFORMATION

CARCINOGENIC STATUS: Carbon black - IARC Class 2B (Possible carcinogenic to humans).

12. ECOLOGICAL INFORMATION

ECOTOXICITY: NA

13. DISPOSAL CONSIDERATION

PHYSICAL/CHEMICAL PROPERTIES AFFECTING DISPOSAL:	None
ENVIRONMENTAL TOXICITY DATA:	NA
WASTE DISPOSAL METHOD:	Dispose of in accordance with applicable federal, state, provincial, and local laws and regulations.

14. TRANSPORT INFORMATION

UN NUMBER: Not Regulated
UN PROPER SHIPPING NAME: Not Regulated
HAZARD CLASS (ES): Not Regulated
PACKING GROUP: Not Regulated
ENVIRONMENTAL HAZARDS: NE

15. REGULATORY INFORMATION

INTERNATIONAL REGULATIONS:

Canadian (DSL/NDSL): LISTED
Australian (ACIS): LISTED
Korea (KECI): LISTED
Japan (ENCS, MITI): LISTED
China (SEPA): LISTED
EU Directive 2002/95/EC (RoHS): Does not contain any intentionally added substances mentioned by the RoHS directive.

European:

Symbol: Not classified according to directive 67/548/EEC (dangerous substances) and 1999/45/EC (dangerous preparations).

R-Phase(s): NA

S-Phase(s): NA

TSCA: All materials are listed or exempt from TSCA listing.

(Toxic Substances Control Act):

CERCLA: NA

(Comprehensive Emergency Response, Compensation, and Liability Act):

SARA TITLE III: NA

(Superfund Amendments and Reauthorization Act):

311/312 HAZARD CATEGORIES: None

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and 40 CFR 372:

<u>CAS #</u>	<u>CHEMICAL NAME</u>	<u>PERCENT BY WEIGHT</u>
NA	Chromium Compounds	<1%
NA	Zinc Compounds	<1%
NA	Copper Compounds	<1%

16. OTHER INFORMATION

NA = Not Applicable
NE = Not Established
NC = Not Classified

FILE: BF-1000Series.doc
99055

PREPARED BY: Mary Katherine Starr

REVIEWED BY: Michal Werbecki

Date Prepared: 02/08/2010

REVISION ITEMS & DATE:

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULT TO BE OBTAINED FROM THE USE THEREOF.

ROGERS CORPORATION ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, USERS OR THIRD PARTIES CAUSED BY THE MATERIAL. SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL. MSDS HAS BEEN PREPARED IN ACCORDANCE WITH ANSI STANDARD Z400.1-2004, AND EU DIRECTIVE 2001/58/EC.