



171 West St. Charles Road, Carol Stream, IL 60188-2081 / 630-784-6200 / Fax: 630-784-6201

## MATERIAL SAFETY DATA SHEET

### 1. PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME: HT-755  
CHEMICAL FAMILY: Silicone Rubber  
HMIS RATING: H 1 F 1 R 0  
USE OF MATERIAL: Foam  
DATE ISSUED: 4/25/2008  
EMERGENCY PHONE: 860-774-9605 (Monday – Friday 8 a.m. – 5 p.m. EST)  
CHEMTREC: 800-424-9300 (U.S. & Canada) (24 Hours)  
703-527-3887 (International – Call Collect) (24 Hours)

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>CAS No.</u>	<u>EINECS /ELINCS</u>	<u>%</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>China OEL</u>	<u>EU Classification</u>
Silica-Amorphous (Encapsulated)	7631-86-9	231-545-4	10-15	$\frac{80 \text{ mg/m}^3}{\% \text{ SiO}_2}$	10 mg/m <sup>3</sup>	NE	Not classified under 67/548/EC
Quartz	14808-60-7	238-878-4	20-25	0.1 mg/m <sup>3</sup>	0.1 mg.m <sup>3</sup>	NE	Not classified under 67/548/EC
Fumed Silica	68583-49-3	271-514-2	8-11	15 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>	NE	Not classified under 67/548/EC

The material contains no other hazardous ingredients as defined in OSHA's Hazard Communication Standard 29 CFR 1910.1200 or EU directive 1999/45/EC, and do not present a health or environmental hazard according to directive 67/548/EC.

### 3. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE MATERIAL: NE  
LABELING REQUIREMENTS: NE  
EFFECTS OF OVEREXPOSURE: None are expected with normal handling. Materials listed in Section 2 are encapsulated or compounded making release unlikely. Cutting and other finishing operations may create dust. Ventilation and personal protective equipment should be similar to operations generating nuisance dust.  
INHALATION: Dusts may cause respiratory irritation.  
EYE CONTACT: Dusts may cause irritation.  
SKIN CONTACT: Dusts may cause irritation.  
INGESTION: None known.  
CHRONIC: None known.

## 4. FIRST-AID MEASURES

INHALATION:	Remove to fresh air. Obtain medical attention if symptoms persist.
EYE CONTACT:	Flush eyes with large amounts of water for 15 to 20 minutes. Obtain medical attention if symptoms persist.
SKIN CONTACT:	Immediately take off all contaminated clothing and flush area with soap and water for 15 to 20 minutes. Obtain medical attention if symptoms persist.
INGESTION:	Not a likely route of exposure. If large amounts of processing dusts are ingested resulting in gastrointestinal discomfort, seek medical attention.

## 5. FIRE-FIGHTING MEASURES

FLASH POINT:	NE °C (°F)	Flammable Limits:	LEL	<u>NA</u>	UEL	<u>NA</u>
AUTOIGNITION TEMPERATURE:	NE °C (°F)					
EXTINGUISHING MEDIA:	<u>X</u> Water Spray	<u>X</u> Foam	<u>X</u> CO <sub>2</sub>			
	<u>X</u> Dry Chemical	<u>X</u> Other –				
SPECIAL FIRE FIGHTING PROCEDURES:	Firefighters should be equipped with self-contained breathing apparatus and turnout gear.					
UNUSUAL FIRE AND EXPLOSION HAZARDS:	Decomposition in a fire may produce toxic fumes and siliceous char.					

## 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:	Wear suitable protective equipment. Wear self-contained breathing apparatus and heavy rubber gloves. Avoid contact with skin and eyes.
ENVIRONMENTAL PRECAUTIONS:	Prevent from entering sewer system, surface water or soil.
CLEANING METHODS:	Pick up larger solid materials. Use broom and dust pan to collect smaller pieces. Dispose of properly.

## 7. HANDLING AND STORAGE

HANDLING:	Wear suitable protective equipment (refer to Section 8). Wash hands with soap and water after handling. Avoid processing conditions that release small particles of materials (10 micrometers or less).
STORAGE:	Keep container tightly closed in a dry, cool, and well-ventilated area.

## 8. ENGINEERING CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION:	None needed under normal conditions. If material is heated and odors are noticeable and/or irritating, a respirator meeting NIOSH requirements should be used. A qualified individual should evaluate each situation.
<u>VENTILATION</u>	
LOCAL:	Recommended for all industrial operations.
GENERAL:	Recommended for all industrial operations.
<u>PERSONAL PROTECTION</u>	
HAND:	None required.
EYE:	Safety glasses are recommended with all industrial operations.
SKIN:	None required.
OTHER:	Safety shower/eyewash in the area if possible tissue exposure to materials.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Solid, Red
ODOR:	Slight Characteristic
PHYSICAL STATE:	Solid
BOILING POINT:	NA °C (°F)
MELTING POINT:	NE °C (°F)
FREEZING POINT:	NA °C (°F)
FLASH POINT:	NE °C (°F)
WATER SOLUBILITY:	Soluble
VAPOR DENSITY:	NA
VAPOR PRESSURE:	NA
SPECIFIC GRAVITY:	1.3 (Water = 1)
PARTITION COEFFICIENT:	NA
EVAPORATION RATE:	NA
RELATIVE DENSITY:	1.3 g/cc
VISCOSITY:	NA
AUTO-IGNITION TEMPERATURE:	NA °C (°F)
DECOMPOSITION TEMPERATURE:	NA °C (°F)
PH:	NA
FLAMMABILITY:	NA

## 10. STABILITY AND REACTIVITY

STABLE   X   UNSTABLE       

CONDITIONS TO AVOID:	NE
MATERIALS TO AVOID:	NE
HAZARDOUS POLYMERIZATION:	<u>      </u> May Occur <u>  X  </u> Does Not Occur
HAZARDOUS DECOMPOSITION PRODUCTS:	Carbon monoxide, silicon dioxide, and traces of incompletely burned carbon compounds.

## 11. TOXICOLOGICAL INFORMATION

CARCINOGENIC STATUS: Quartz is listed by IARC as a Group 1 carcinogen (carcinogenic to humans) and by NTP as "reasonably anticipated to be a carcinogen". However the quartz in this material is encapsulated eliminating this hazard during normal processing.

## 12. ECOLOGICAL INFORMATION

ECOTOXICITY: NA

## 13. DISPOSAL CONSIDERATION

PHYSICAL/CHEMICAL PROPERTIES AFFECTING DISPOSAL:	None
ENVIRONMENTAL TOXICITY DATA:	NA
WASTE DISPOSAL METHOD:	Dispose of in accordance with applicable federal, state, provincial, and local laws and regulations.

## 14. TRANSPORT INFORMATION

UN NUMBER: Not Regulated  
UN PROPER SHIPPING NAME: Not Regulated  
HAZARD CLASS (ES): Not Regulated  
PACKING GROUP: Not Regulated  
ENVIRONMENTAL HAZARDS: Not Regulated

## 15. REGULATORY INFORMATION

INTERNATIONAL REGULATIONS:  
Canadian (DSL/NDSL): LISTED  
Australian (ACIS): LISTED  
Korea (KECI): LISTED  
Japan (ENCS, MITI): LISTED  
China (SEPA): LISTED  
EU Directive 2002/95/EC (RoHS): Does not contain any intentionally added substances mentioned by the RoHS directive.  
  
European:  
Symbol: Not classified according to directive 67/548/EEC (dangerous substances) and 1999/45/EC (dangerous preparations)  
  
R-Phase(s): NE  
S-Phase(s): NE  
TSCA: All materials are listed or exempt from TSCA listing.  
(*Toxic Substances Control Act*):  
CERCLA: NA  
(*Comprehensive Emergency Response, Compensation, and Liability Act*):  
SARA TITLE III: NA  
(*Superfund Amendments and Reauthorization Act*):  
311/312 HAZARD CATEGORIES: None

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and 40 CFR 372:

<u>CAS #</u>	<u>CHEMICAL NAME</u>	<u>PERCENT BY WEIGHT</u>
NA	NA	NA

## 16. OTHER INFORMATION

NA = Not Applicable  
NE = Not Established  
NC = Not Classified

FILE: HT-755.doc  
99064  
PREPARED BY: Mary Katherine Starr  
REVIEWED BY: Michal Werbecki

Date Prepared: 4/25/2008

### REVISION ITEMS & DATE:

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULT TO BE OBTAINED FROM THE USE THEREOF.

ROGERS CORPORATION ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, USERS OR THIRD PARTIES CAUSED BY THE MATERIAL. SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL. MSDS HAS BEEN PREPARED IN ACCORDANCE WITH ANSI STANDARD Z400.1-2004, AND EU DIRECTIVE 2001/58/EC.