

PORON® ThinStik™ Soft Seal Foams: 15TS1 Formulation

FAMILY OF SELF-ADHESIVE SOLUTIONS

LOW PUSHBACK PORON ThinStik Soft Seal Foam: 15TS1-06021 Material

Excellent compressibility, thinnest gap filler.

Compressibility Tear Strength

Shock Absorption

PLIABILITY

PORON ThinStik Soft Seal Foam: 15TS1-06030 Material

Greater gap filling across a wide range of manufacturing tolerances.

Compressibility

Tear Strength

Shock Absorption




PORON® ThinStik™ Soft Seal Foam is the most compressible offering within the ThinStik family. This added compressibility allows for gap filling in applications with extreme space limitations.

Additionally, the 15TS1-06030 material offers the greatest range in gap filling of all the ThinStik foams (see below).


If your design requires a high performing and compressible foam, then PORON ThinStik Soft Seal is the ideal choice.

Compressibility Comparison



—Traditional 15-06030 —Traditional 15-06021 —15TS1-06030 —15TS1-06021

Comparison of Compression Ranges



Have a gap to fill?

Visit the Rogers Gap Filling Tool: www.rogerscorp.com/gapfillingtool

Make an Impact!

Visit the Rogers Impact Prediction Tool: www.rogerscorp.com/impactprediction

The information contained in this Sell Sheet is intended to assist you in designing with Rogers' High Performance Foam Materials. It is not intended to and does not create any warranties, express or implied, including any warranty of merchantability or fitness for a particular purpose or that the results shown on the Data Sheet will be achieved by a user for a particular purpose. The user should determine the suitability of Rogers' High Performance Foam Materials for each application. The Rogers logo, ThinStik and PORON are licensed trademarks of Rogers Corporation. © 2011 Rogers Corporation, All rights reserved. Printed in U.S.A., 0411-PDF, Publication #17-224