



PRODUCT SAFETY INFORMATION SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

TRADE NAME: NITROPHYL® M - MC Cellular Rubber
MATERIAL FAMILY: NBR Rubber
USE OF ARTICLE: Used Floats and Rollers
DATE ISSUED: October 21, 2022
COMPANY/UNDERTAKING IDENTIFICATION: Rogers Corporation
One Technology Drive
Rogers, CT 06263
Phone: 001-860-774-9605
Fax: 001-860-779-5778
Email: msdsinfo@rogerscorporation.com

2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE MATERIAL: NE
LABELING REQUIREMENTS: NE
EFFECTS OF OVEREXPOSURE: None are expected with normal handling. Cutting and other finishing operations may create rubber. Ventilation and personnel protection should be similar to all operations generating nuisance dust. IARC has listed carbon black as a Class 2B suspected human carcinogen based on tests with laboratory animals.
INHALATION: Dust may cause respiratory irritation. Remove to fresh air and seek medical attention if necessary.
EYE CONTACT: Dust may cause irritation. Flush eyes with water and seek medical attention if necessary.
SKIN CONTACT: Dust may cause irritation. Wash thoroughly with soap and water.
INGESTION: None known.
CHRONIC: IARC has listed carbon black as a Class 2B suspected human carcinogen based on tests with laboratory animals.

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is produced as an “article” as defined in 29 CFR 1910.1200 and REGULATION (EC) N° 1907/2006 is therefore exempt from the Hazard Communication Standard and REACH. Since this material does not release and will not result in exposure to a hazardous chemical under normal conditions of use, no Safety Data Sheet is required.

<u>Ingredient Name</u>	<u>CAS No.</u>	<u>EINECS</u> <u>/ELINCS</u>	<u>%</u>	<u>OSHA PEL</u>	<u>ACGIH</u> <u>TLV</u>
Nitrile Butadiene Rubber (NBR)	9003-56-9	NE	<99%	NE	NE

Hydrogen Sulfide	7783-06-4	231-977-3	<2	20 PPM	10 PPM	Chemical reaction byproduct – may be present in product for a short duration after production Chemical reaction byproduct – may be present in product for a short duration after production
Ammonia	7664-41-7	231-635-3	<0.5	50 PPM	25 PPM	
Carbon Black	1333-86-4	215-609-9	<1	3.5 mg/m ³	3.5 mg/m ³	

4. FIRST-AID MEASURES

INHALATION:	Remove to fresh air. Obtain medical attention if symptoms persist.
EYE CONTACT:	Flush eyes with large amounts of water for 15 to 20 minutes. Obtain medical attention if symptoms persist.
SKIN CONTACT:	Immediately take off all contaminated clothing and flush area with water for 15 to 20 minutes. Obtain medical attention if symptoms persist.
INGESTION:	Not a likely route of entry – seek medical attention.

5. FIRE-FIGHTING MEASURES

FLASH POINT:	NE °C (°F)	Flammable Limits: NE			
AUTO IGNITION TEMPERATURE:	NE °C (°F)				
EXTINGUISHING MEDIA:	X	Water Spray	X	Foam	X
	X	Dry Chemical	X	Other –	CO ₂

SPECIAL FIRE FIGHTING PROCEDURES:	Decomposition in a fire may produce toxic fumes. Firefighters should be equipped with self-contained breathing apparatus and turnout gear.
UNUSUAL FIRE AND EXPLOSION HAZARDS:	None known.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:	Exhaust vapors and dust if crushing, grinding, or heating material. Avoid touching eyes while handling. Use of this product in received form will not present a health hazard.
ENVIRONMENTAL PRECAUTIONS:	Residual amounts of hydrogen sulfide may be emitted during machining. Over exposure is unlikely due to the irritating nature of hydrogen sulfide. Control of dust/vapors while machining or heating will ensure safety conditions.
CLEANING METHODS:	Sweep or shovel into appropriate container for disposal. Avoid creation of nuisance dust.

7. HANDLING AND STORAGE

HANDLING:	Hot wire cutting operations should be exhausted to prevent exposure to irritating vapors. Wear suitable protective equipment, refer to Section 8.
STORAGE:	Keep in a cool, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION:	None needed under normal conditions. If material is heated and odors are noticeable and/or irritating a respirator, meeting NIOSH requirements, should be used. A qualified individual should evaluate each situation.
<u>VENTILATION</u>	
LOCAL:	Recommended for all industrial operations.
GENERAL:	Recommended for all industrial operations.

PERSONAL PROTECTION

HAND:	Gloves to avoid skin contact if desired.
EYE:	Safety glasses with side-shields are recommended in all industrial operations.
SKIN:	None required.
OTHER:	Safety shower/eyewash in the area.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Typical Hard Rubber
ODOR:	Characteristic – Slight Sulfur and ammonia
PHYSICAL STATE:	Solid
BOILING POINT:	NA °C (°F)
MELTING POINT:	NE °C (°F)
FREEZING POINT:	NA °C (°F)
FLASH POINT:	NE °C (°F)
WATER SOLUBILITY:	In-Soluble
VAPOR DENSITY:	NA
VAPOR PRESSURE:	NA
SPECIFIC GRAVITY:	0.2-0.53 (Water = 1)
PARTITION COEFFICIENT:	NA
EVAPORATION RATE:	NA
RELATIVE DENSITY:	NA
VISCOSITY:	NA
AUTO-IGNITION TEMPERATURE:	NA °C (°F)
DECOMPOSITION TEMPERATURE:	NA °C (°F)
PH:	NA
FLAMMABILITY:	NA

10. STABILITY AND REACTIVITY

STABILITY	Stable
CONDITIONS TO AVOID:	NE
MATERIALS TO AVOID:	NE
HAZARDOUS POLYMERIZATION:	Does not occur
HAZARDOUS DECOMPOSITION PRODUCTS:	CO, CO ₂ , Oxides of nitrogen, HCN, and traces of incompletely burned carbon compounds.

11. TOXICOLOGICAL INFORMATION

CARCINOGENIC STATUS:	IARC has listed carbon black as a Class 2B suspected human carcinogen based on tests with laboratory animals.
----------------------	---

12. ECOLOGICAL INFORMATION

ECOTOXICITY:	NA
--------------	----

13. DISPOSAL CONSIDERATION

PHYSICAL/CHEMICAL PROPERTIES AFFECTING DISPOSAL:	
ENVIRONMENTAL TOXICITY DATA:	NA
WASTE DISPOSAL METHOD:	Dispose of in accordance with applicable federal, state, provincial, and local laws and regulations.

14. TRANSPORT INFORMATION

UN NUMBER: Not Regulated
UN PROPER SHIPPING NAME: Not Regulated
HAZARD CLASS (ES): Not Regulated
PACKING GROUP: Not Regulated
ENVIRONMENTAL HAZARDS: NE

15. REGULATORY INFORMATION

INTERNATIONAL REGULATIONS:

Canadian (DSL/NDSL): Article – exempt.
Australian (ACIS): Article – exempt.
Korea (KECI): Article – exempt.
Japan (ENCS, MITI): Article – exempt.
China (IECSC): Article – exempt.
EU Directive 2011/65/EC (RoHS): Does not contain any intentionally added substances mentioned by the RoHS directive.

TSCA All materials are listed or exempt from TSCA listing.
(Toxic Substances Control Act):

CERCLA NA
(Comprehensive Emergency Response,

Compensation, and Liability Act):

SARA TITLE III NA

(Superfund Amendments and Reauthorization Act):

311/312 HAZARD CATEGORIES: None

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and 40 CFR 372:

<u>CAS #</u>	<u>CHEMICAL NAME</u>	<u>PERCENT BY WEIGHT</u>
NA	NA	NA

16. OTHER INFORMATION

NA = Not Applicable
NE = Not Established
NC = Not Classified

FILE: 99305-Nitrophenyl M, MC PSIS-10212022.doc

PREPARED BY: Corporate EHS
REVIEWED BY: EHS Engineering

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULT TO BE OBTAINED FROM THE USE THEREOF.

ROGERS CORPORATION ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, USERS OR THIRD PARTIES CAUSED BY THE MATERIAL. SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.