



PRODUCT SAFETY INFORMATION SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

TRADE NAME: BF-1005 (S) Series

MATERIAL FAMILY: Polydimethylsiloxane Polymer

USE OF MATERIAL: Gasket – Sound Barrier

DATE PREPARED: September 2, 2020

COMPANY/UNDERTAKING IDENTIFICATION: Rogers Corporation
171 West St. Charles Road
Carol Stream, IL 60188-2081
Phone: 001-630-784-6200
Fax: 001-630-784-6201
Email: msdsinfo@rogerscorporation.com

2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE MATERIAL: NE

LABELING REQUIREMENTS: NE

EFFECTS OF OVEREXPOSURE: None are expected with normal handling. Materials listed in Section 2 are encapsulated or compounded making release unlikely. Cutting and other finishing operations may create dust. Ventilation and personal protective equipment should be similar to operations generating nuisance dust.

INHALATION: Dusts may cause respiratory irritation.

EYE CONTACT: Dusts may cause irritation.

SKIN CONTACT: Dusts may cause irritation.

INGESTION: None known.

CHRONIC: IARC has listed carbon black as a possible Class 2B possible human carcinogen based on animal studies.

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is produced as an “article” as defined in 29 CFR 1910.1200 and is therefore exempt from the Hazard Communication Standard. Since this material does not release chemicals and will not result in exposure to a hazardous chemical under normal conditions of use, no Material Data Sheet is required. This form is provided as a convenience to our customers.

<u>Chemical Name</u>	<u>CAS No.</u>	<u>EINECS /ELINCS</u>	<u>%</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>China OEL</u>	<u>EU Classification</u>
Fumed Silica (Encapsulated)	68583-49-3	271-514-2	30-40	80 mg/m ³ % SiO ₂	2 mg/m ³ (Respirable)	NE	Not classified under 67/548/EC
Polydimethylsiloxane Polymer	Proprietary	Proprietary	<70	NE	NE	NE	Not classified under 67/548/EC

Carbon Black	1333-86-4	215-609-9	< 1	3.5 mg/m ³	3.5 mg/m ³	NE	Not classified under 67/548/EC
--------------	-----------	-----------	-----	--------------------------	-----------------------	----	--------------------------------------

4. FIRST-AID MEASURES

INHALATION:	Remove to fresh air. Obtain medical attention if symptoms persist.
EYE CONTACT:	Flush eyes with large amounts of water for 15 to 20 minutes. Obtain medical attention if symptoms persist.
SKIN CONTACT:	Immediately take off all contaminated clothing and flush area with soap and water for 15 to 20 minutes. Obtain medical attention if symptoms persist.
INGESTION:	Not a likely route of exposure. If large amounts of processing dusts are ingested resulting in gastrointestinal discomfort, seek medical attention.

5. FIRE-FIGHTING MEASURES

FLASH POINT:	NA	Flammable Limits:	LEL	<u>NE</u>	UEL	<u>NE</u>
AUTOIGNITION TEMPERATURE:	NA					
EXTINGUISHING MEDIA:	<u> X </u> Water Spray	<u> X </u> Foam	<u> X </u> CO ₂			
	<u> X </u> Dry Chemical	<u> </u> Other –				
SPECIAL FIRE FIGHTING PROCEDURES:	Firefighters should be equipped with self-contained breathing apparatus and turnout gear.					
UNUSUAL FIRE AND EXPLOSION HAZARDS:	Decomposition in a fire may produce toxic fumes and siliceous char. Carbon monoxide, carbon dioxide, formaldehyde, silicon dioxide, and traces of incompletely burned carbon compounds.					

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:	Wear suitable protective equipment. Wear self-contained breathing apparatus and heavy rubber gloves. Avoid contact with skin and eyes.
ENVIRONMENTAL PRECAUTIONS:	Prevent from entering sewer system, surface water or soil.
CLEANING METHODS:	Pick up larger solid materials. Use broom and dustpan to collect smaller pieces. Dispose of properly.

7. HANDLING AND STORAGE

HANDLING:	Wear suitable protective equipment (refer to Section 8). Wash hands with soap and water after handling. Avoid processing conditions that release small particles of materials (10 micrometers or less).
STORAGE:	Keep container tightly closed in a dry, cool, and well-ventilated area.

8. ENGINEERING CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION:	None needed under normal conditions. If material is heated and odors are noticeable and/or irritating, a respirator, meeting NIOSH requirements, should be used. A qualified individual should evaluate each situation.
<u>VENTILATION</u>	
LOCAL:	Recommended for all industrial operations.
GENERAL:	Recommended for all industrial operations.
<u>PERSONAL PROTECTION</u>	
HAND:	Heavy rubber gloves.
EYE:	Safety glasses with side shields.
SKIN:	None required.
OTHER:	Safety shower/eyewash in the area if possible tissue exposure to materials.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Cellular Silicone Material
ODOR:	Slight Characteristic
PHYSICAL STATE:	Solid
BOILING POINT:	NA °C (°F)
MELTING POINT:	NE °C (°F)
FREEZING POINT:	NA °C (°F)
WATER SOLUBILITY:	None
VAPOR PRESSURE:	NA
SPECIFIC GRAVITY:	1.23 (Water = 1)
PARTITION COEFIECIENT:	NA
EXPLOSIVE PROPERTIES:	NA
EVAPORATION RATE:	NA
DENSITY:	1.23 g/cc
VISCOSITY:	NA
IGNITION TEMPERATURE:	NA
PH:	NA
FLAMMABILITY:	NA
OXIDIZING PROPERTIES:	NA

10. STABILITY AND REACTIVITY

STABLE UNSTABLE

CONDITIONS TO AVOID:	NE
MATERIALS TO AVOID:	NE
HAZARDOUS POLYMERIZATION:	<input type="checkbox"/> May Occur <input checked="" type="checkbox"/> Does Not Occur
HAZARDOUS DECOMPOSITION PRODUCTS:	Decomposition in a fire may produce toxic fumes and siliceous char. Carbon monoxide, carbon dioxide, formaldehyde, silicon dioxide, and traces of incompletely burned carbon compounds.

11. TOXICOLOGICAL INFORMATION

ACUTE/CHRONIC:	NE
REPRODUCTIVE HAZARDS:	NE
CARCINOGENIC STATUS:	Cristobalite is listed by IARC as a Group 1 carcinogen (carcinogenic to humans) and by NTP as "reasonably anticipated to be a carcinogen". However the Cristobalite in this material is encapsulated eliminating this hazard during normal processing. Carbon Black- IARC Class 2B (Possibly carcinogenic to humans).

12. ECOLOGICAL INFORMATION

NA

13. DISPOSAL CONSIDERATION

ENVIRONMENTAL TOXICITY DATA:	NA
WASTE DISPOSAL METHOD:	Dispose of in accordance with applicable, federal, state, provincial, and local laws and regulations.
CONTAINER DISPOSAL:	Dispose of in accordance with applicable, federal, state, provincial, and local laws and regulations.

14. TRANSPORT INFORMATION

UN NUMBER:	Not Regulated
UN PROPER SHIPPING NAME:	Not Regulated
HAZARD CLASS (ES):	Not Regulated
PACKING GROUP:	Not Regulated
ENVIRONMENTAL HAZARDS:	Not Regulated

15. REGULATORY INFORMATION

INTERNATIONAL REGULATIONS:	
Canadian (DSL/NDSL):	Listed
Australian (ACIS):	Listed
Korea (KECI):	Listed
China (IECSC):	Article
Japan (ENCS, MITI):	Listed
REACH Directive	Material is classified as an article.
EU Directive 2011/65/EC (RoHS):	Does not contain any intentionally added substances mentioned by the RoHS directive.
TSCA (<i>Toxic Substances Control Act</i>):	All ingredients listed on TSCA or exempt. Materials are classified as an article.
CERCLA (<i>Comprehensive Emergency Response, Compensation, and Liability Act</i>):	NA
SARA TITLE III (<i>Superfund Amendments and Reauthorization Act</i>):	NA
311/312 HAZARD CATEGORIES:	None

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and 40 CFR 372:

<u>CAS #</u>	<u>CHEMICAL NAME</u>	<u>PERCENT BY WEIGHT</u>
NA	NA	NA

16. OTHER INFORMATION

NA = Not Applicable	FILE:	99295-BF1005 (S) PSIS09022020.doc
NE = Not Established		99061
NC = Not Classified	PREPARED BY:	EHS Engineering
	REVIEWED BY:	Corporate EHS

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULT TO BE OBTAINED FROM THE USE THEREOF.

ROGERS CORPORATION ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, USERS OR THIRD PARTIES CAUSED BY THE MATERIAL. SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL